

# CT100 SERIES

## Ticket printing Scale

- Various interface
- Easy & PLU transmission
- Max 8 different clerk sales support
- Maximum 6 floating vender sales operation
- Rechargeable battery



Easily dockable printer




Embo type keypad



LED Backlight



Scan with your smartphone to find more products



Easily dockable printer

Embo type keypad

LED Backlight



# CT100 SERIES

## FEATURES

### Wide and legible Display

CT100 Series uses wide and high legible display. Innovative colors, traditional shape and performance are the characteristics of LCD display with LED backlight



Tilting user display

### Extremely Portable

Do sale wherever you want!  
Easily move location with the compact design, Rechargeable battery




### Key-pad



- 8 Vender Keys  
- Max 8 EA  
(Directe 4ea / Indirecte 4ea)
- 30 Function Keys  
- Easily operate with various function keys
- 30 PLU Keys  
- 30 Direct PLUs  
- 1,000 Indirect PLUs

### Floating Clerk

Floating vender function and PLU function  
Floating clerk function is possible with RS485 for up to 6 scale



# Ticket printing Scale

## Powerful sales report

Period report



Category report



## Receipt Printing

High-definition & High speed thermal printer is built in for receipt printing. It can easily and quickly replacement of new paper roll



## Various Interface

It supports various interface, such as RS-232C 2EA, Cash drawer, RS-485, LAN option( Zigbee, WLAN)




## Product line up



## Network system

TCP/IP communication protocol


- IEEE802.11b/g specification wireless network
- Wireless Security : WEP 64/128, WPA, WPA2
- One to one, multi to multi & wired/wireless network



## User-friendly PC software

User-Friendly Scale management software.

PLU programming, store data, sales report, receipt editor and much more.



### PLU Editor

Enables easy PLU control.  
Allows PLU's management by excel.

### Ticket Editor

Easy downloading of ticket formats.

### Sales report

Various reports available

# CT100 SERIES

## Ticket printing Scale



### FEATURES

- 30 Direct PLUs, 1000 Indirect PLUs with 30 Function Keys, 2 Special PLUs
- Max 8 different clerk sales support
- PC software management(CL-Works)
- Rechargeable battery
- Max 6 Floating vender function(with RS-485)

### OPTIONS

- Zigbee, Wireless ethernet interface
- Platter PLU cover
- Platter back rail

### SPECIFICATIONS

Model	CT100		
Max.capacity (kg)	6	15	30
Readability (g)	1/2	2/5	5/10
Display	Alpha-numeric LCD + backlight - PLU windows: 12 digit (14 segment) - Tare/Weight/Unit/Price: 5/5/6/7 (7 segment)		
Printer Speed	Max. 75 mm/sec		
Printer Resolution	Thermal printer - 32 Characters per line Recommended size for thermal paper - 58mm (Width) / 60mm (Maximum Diameter)		
Interface	Default: RS-232C 2EA, Cash drawer, RS-485, LAN Option: Zigbee, WLAN		
Operating temperature	-10°C ~ +40°C		
Power	AC 230V(50 ~ 60Hz), AC + DC(option), Pb Battery 12V/7A		
Battery life	Weighing Mode only : 240mA, 28 hrs		
	With backlight : 260mA, 26 hrs		
	With printer : 1800mA, 4 hrs		
Dimensions (mm)	B type: 342(W) x 455(D) x 152(H)		
	P type: 342(W) x 455(D) x 415(H)		
	R type: 342(W) x 455(D) x 490(H)		
	Platter size: 320(W) x 240(D)		
Product weight	Standard type: 6.8Kg Pole type: 8Kg R type: 8.5kg		

### Dimensions

